



SK-MT650

Medicine Trolley



SAIKANG / Medical

LEADING BRAND OF CHINA MEDICAL FURNITURE

Stock Code: 870098

TECHNICAL PARAMETERS

Size: 900 x 500 x 1800mm

QUALITY CONTROL

MATERIAL

The body frame is made of VI0G1 aluminum, which not only meets the overall strength of the body but also reduces the weight of the trolley



EXTERNAL BEAM

The left and right sides are equipped with an external beam which could hang accessories.



ABS UPPER TOP

ABS upper top with extended up rims on three sides



WHEELS

4 nylon wheels Ø100 mm with non-marking tires and plain bearings, all with brakes

LATERALLY EXTENDABLE WORKTOP



LOCK

Touch sensitive combination lock



DRAWER

Drawer guide rail adopt damping buffer rail.



TRASH CAN

One key opening trash can





INNOVATION OF SAIKANG

LEADING BRAND OF CHINA MEDICAL FURNITURE



Design Innovation



Research Innovation



Manufacturing Innovation



Maintenance Innovation



Service Innovation

JIANGSU SAIKANG MEDICAL EQUIPMENT CO.,LTD.

24hrs: 0086-18021231901 
www.chinasaikang.com

SAIKANG (China Headquarter)

No.35 Lehong Road,Zhangjiagang City,
Jiangsu Province,China.
TEL: +86-512-58525850
FAX: +86-512-58520713
E-mail: inquiry@jssaikang.com

SAIKANG (USA Branch)

Saikang Medical Technology, Inc
17800 Castleton St Ste 180,
City of Industry, Ca 91748
Tel: +1 949648-2776

SAIKANG (UK Branch)

Uk Healthward International Limited
Owner(s) Address DEPT 111,
196 High Road Wood Green,
London, N22 8HH
United Kingdom
TEL: +44 2032399738

SAIKANG (East Africa Branch)

Saikang Medical Solutions (East Africa) Ltd.
Viraj Complex Unit 3 Mombasa Road,
PO Box 14262-00800, Nairobi.
TEL: +254 733-704 690

SAIKANG (Mid East Branch)

Saikang Medical Supplies (Mid East) LLC
X22-S03 England Cluster,
International City, Dubai UAE
TEL: +20 128 8962497



Contact



Website

As the circumstance of printing, the photos might have minor difference on color, tactile from real products.
As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.