

# V8w5c

ELECTRIC BED



SAIKANG/Medical

Healthier your life

# V8w5c

# FEATURES AND HIGHLIGHTS





# Technical parameters

External size (LxW):	2085x1020 mm
Mattress platform:	1925x990 mm
Safe working load:	250 kg
Height adjustment:	455-745 mm
Back-rest adjustment:	0-75° (±5°)
Knee-rest adjustment:	0-46° (±5°)
Trendelenburg:	0-12°
Reverse trendelenburg:	0-12°

# Optional

☐ Auto-regression (back section)
X-ray translucent mattress platform (back section)
☐ Manual CPR
☐ Night light
☐ Emergency stop button
☐ Battery back-up
☐ Weighing system
☐ Nurse controller
☐ Utility shelf
☐ Trapeze bracket/pole

# Technical configuration

✓ Linear motor	4 pcs
☑ Hand controller	1 pc
☑ 5" Covered Castors	4 pcs
✓ L-shaped foldable side rail	1 set
☑ PP bed ends with safe lock with Φ65 bumper wheels	1 set
☑ PP bed platform with integrated mattress retainer	1 set
☑ IV pole 4 hooks	1 set
☑ IV pole prevision	4 pcs
☑ Drainage hook	2 pcs

# Optional color (MOQ100pcs-color changing)





# **Accessories**



#### **Platform**

Integrated PP bed platform, adopting advanced manufacturing technology. 4-5 section platform, enables independent installation and easy

Enlarge the seat area when back part is raised, providing more comforts for the patients.

Reduce the depression of the sponge at the seat panel.



#### **Castors**

5" covered casters. TPR tire no worn out after running 10 km.

Anti-winding hard shell cover, united forming without bolts.

Pass dynamic test: pass obstacles 40000 times, under the standard 200kg load of the whole bed.



LG Chem fresh PP material, Plug in type.

Equipped with the bumpers wheel, diameter 65mm, preventing collision.



#### Guardrail

L-shaped foldable guardrail (Patent), bended tube, solid installing, 0 shaking, anti-pinch, ensure patient's safety.



#### **Mattress Retainer**

Platform integrated mattress retainer at the both sides of the back and leg section, with a boarder of 33mm height.



#### **Hand Controller**

Flexible spiral cable for easy mobility and operation in optimal position. The nurse can control all standard functions.







Safe working load

 $250_{\mathsf{kg}}$ 



Back-rest adjustment

75°



Knee-rest adjustment

46°



Height adjustment

 $455 - 745_{\mathsf{mm}}$ 



Reverse trendelenburg

12°



Trendelenburg

12°















Design

Research

Manufacturing

Maintenance

Service



### South America Branch

Saikang Medical Technology, Inc

W3400 Corrientes, Argentina TEL: +5493794312231 Av. Senador Vergueiro, 4204 – sala 31

Rudge Ramos – São Bernardo do Campo – SP, Brazil TEL: +55 (11) 2758-0438

STOCK CODE: 870098

#### East Africa Branch

Saikang Medical Technology Ltd

Mezzanine Floor, Taj Tower, upper hill, nairobi, Kenya TEL: +254714084806

#### South East Asia Branch

Saikang Medical Technology Ltd

Sala Thammasop Subdistrict Thawi Watthana District Bangkok Thailand TEL: +66 642741046

#### UK Branch

Uk Healthward International Limited

DEPT 111, 196 High Road Wood Green, London, N22 8HH United Kingdom TEL: +31 (0) 202111106

#### Russia Branch

**LLC 'SAIKANG'** 454004, Russian Federation,

Chelyabinsk, Universitetskaya Naberezhnaya, Russia TEL: +7 (919)300-00-06


#### Mid East Branch

Saikang Medical Supplies (Mid East) LLC

Musaffah P.O Box 53200, Abu Dhabi, UAE Tel: +971 585710652

SAIKANG Medical







export@saikangmedical.com

www.saikangmedical.com







Company video

General catalogue